

KEEPING LEVEL
 Beginner

ORIGIN
 UK & Europe

NEST TEMPERATURE
 21–24°C

NEST HUMIDITY
 High

WORKERS BEFORE
NEST
 10+

At a glance

Origin	 UK native; found across Europe
Keeping level	Easy to keep — but they have a sting (like a stinging nettle), so handle with care; better for older keepers
Queen	5–7.5mm, crimson (dark red)
Workers	4–6mm, crimson to red-brown with a shiny gaster
Colony form	Often several queens (polygyne)
Nest temperature	21–24°C
Nest humidity	High — this species needs a well-hydrated nest at all times
Workers before moving into a nest	10+
Winter	Development pauses December to February — see below

About this species

A striking UK native with fiery colour and real character. *Myrmica rubra* need higher nest humidity than most species — in nature they nest in damp dead wood and soil — so keeping the nest properly hydrated is the single most important part of their care. Be aware they can sting: it feels like a stinging nettle, harmless but sharp.

When your ants arrive

- ⚠️ **MOST IMPORTANT:** leave the parcel completely unopened, exactly as it arrived, at room temperature for **5 hours**. The ants must adjust to your home's temperature gradually — abrupt temperature changes make ants seriously unwell.
- After the 5 hours, check the queen is safe and sound, then leave the colony in its original packaging (test tube still in its tin foil and wrapping) in a quiet spot — in daylight, never direct sunlight — away from vibration and daily household activity.
- 😴 Give the colony **4 to 5 days** of complete rest. The ants were fed before dispatch and need nothing from you during this time. Assemble and water the nest while you wait.
- Still workers or a motionless queen after delivery are almost always delivery stress. Check the antennae: moving antennae means she is fine. Almost all recover within 4 to 5 days (a little longer for bigger queens).
- Do not remove the black divider inside the test tube (between the two cotton stoppers) — it keeps the ants safe in transit. It has a hole, and the queen and all workers pass through it without any issue.
- 👑 A queen on her own: keep her test tube wrapped in its tin foil, undisturbed, and feed her once a week — a tiny drop of protein jelly, about half a grain of rice, on a small flat piece of tin foil placed inside the tube next to the dry cotton stopper. In our experience a fed queen is stronger and her brood develops about 30% faster.

Moving into the ant farm

- Keep the colony in its test tube until it has **at least 10 workers**. Moved earlier, the workers often abandon the queen in the larger space, which can lead to colony failure. A queen bought on her own, with no workers yet, needs a little longer: she stays in her test tube until she has 15+ workers.
- Connect the test tube to the nest with the delivery tin foil still on and leave it for 14 days. Then slide the foil back about 1mm every day until the tube is fully exposed to daylight.
- If the ants have not moved in 2 days after the tube is fully exposed, wrap the foil back on, wait another fortnight and repeat the whole process — patience is the key. Moving in happens on the ants' own time: anywhere from a couple of days to 6 months.
- The red filter and black cover stay on the nest at all times — it is pitch dark inside. The black cover can come off once a day for 2 to 3 minutes (ideally at night); the red filter once a week for 2 to 3 minutes.
- ☀️ Place the ant farm in normal daylight, never direct sunlight (the sun can overheat a nest within minutes). Avoid windows, radiators and heaters, vibrating surfaces, speakers and TVs, strong smells such as the kitchen, and busy walkways. Keep a steady room temperature.

Feeding

- 🍯 Sugars for worker energy: our organic ant honey (lab-tested at 81% carbohydrate) or Best Ants UK Ant Nectar (90% dextrose, an even richer energy source) — never sugar water or home-made mixes.
- 🦋 Protein for the queen and brood: Best Ants UK Protein Jelly or NextSwarm Cricket Mash. Keep protein jelly in the fridge at all times once opened.



- Feed twice a week, small amounts, in the outworld only. Remove leftovers after 2 days to prevent mould.
- Live food (mealworms, crickets, locusts) is only for established colonies, never small ones. All bought live food carries tiny mites that can destroy a colony, so always scald it first: hold it with tweezers in just-boiled water (no longer bubbling) for 10 to 15 seconds, then chop it in half and serve on a small tin foil tray.

Watering the nest

- Use **distilled or purified water only** — never tap, rainwater or bottled mineral water, even boiled. They carry minerals and microbes that turn a nest green with mould. A litre of distilled water costs a few pounds and lasts over a year.
- Water the nest with the pipette provided: pour slowly, a few drops at a time, through the watering hole, and stop as soon as 1 or 2 drops appear inside the nest — that is how you know it is done correctly. More than that is too much.
- Once a week is usually right — slightly more in summer, less in winter. Never water the outworld.



Temperature and winter

- Myrmica rubra kept year-round at room temperature still slow right down from the start of December to the end of February — whatever the temperature. The biological clock cannot be tricked.
- To keep them growing the rest of the year, a heating mat with the nest at 24–25°C works well; the outworld has no special requirement (anywhere around 20–28°C is fine). Switch the heating mat OFF from 1 December to 28 February.
- Full hibernation is optional: a steady 10°C with fresh water only and no food. If you cannot keep the colony at a steady 10°C, do not hibernate it — leave it at room temperature. Never use a fridge, shed or garage.
- Never hibernate a first-year queen, and always cool down and warm up gradually. Sudden cold, or long spells near freezing, can damage the sperm the queen stores from her nuptial flight.

★ Golden rules | Never break these

- Never put ants in a fridge, and never expose them to abrupt temperature changes. Cold does not kill a colony instantly — the ants get sick and die over the following days — and prolonged cold near freezing damages the sperm a queen stores from her nuptial flight, so she may never lay fertile eggs again.
- Never use gel ant farms, Ytong or concrete nests, or DIY nests.
- Never use tap, rain or mineral water, even boiled.
- Never move a colony into a nest too early, and never tip or shake ants out of their tube.
- Never disturb the colony with tapping or handling — vibration stresses the queen and she can stop laying or eat her eggs.
- Never keep the farm in the dark: ants need daylight for their circadian rhythm. Daylight yes — direct sunlight never.



Recommended for this species

Myrmica rubra colonies

A7 Plus Ant Farm Kit

PTFE Escape Barrier

Advanced Heating System 4W

Protein Jelly

Cricket Mash

Organic Honey



These care notes cover the essentials only. Please read the full [ant farm setup guide](#) and [our Myrmica rubra guide](#) from A to Z — we recommend printing both for a successful ant-keeping experience. Questions? Message us through our [contact form](#) — we are always happy to help.

Written and reviewed by the Best Ants UK team, keeping ants since 1997.